

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S17	5	(717/13?.ccls. or 717/14?.ccls. or 717/15?.ccls.) ((back or back \$3chas\$3 or back \$1ward\$3) near2 pointer) state.ab. (roll\$4back or (roll \$4 adj back) or re \$1store\$2 or re \$1storing)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/06 07:54
S16	7	(717/13?.ccls. or 717/14?.ccls. or 717/15?.ccls.) state.ab. (back\$9 near2 pointer) (roll\$4back or (roll\$4 adj back) or re\$1store\$2 or re \$1storing)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/06 07:52
S15	12	(717/13?.ccls. or 717/14?.ccls. or 717/15?.ccls.) state.ab. (back\$9 near2 pointer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/06 07:44
S14	14	((back or (back\$3 adj ward\$3) or back \$1ward\$3) near2 pointer) ((fork or branch\$3) same (roll \$4back or (roll\$4 adj back) or re \$1store\$2 or re \$1storing))((roll \$4back or (roll\$4 adj back) or re \$1store\$2 or re \$1storing) near5 state) state.ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/06 07:41

S13	40	((back or (back\$3 adj ward\$3) or back\$1ward\$3) near2 pointer) ((fork or branch\$3) same (roll\$4back or (roll\$4 adj back) or re\$1store\$2 or re\$1storing))((roll\$4back or (roll\$4 adj back) or re\$1store\$2 or re\$1storing) near5 state)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/06 07:37
S12	9	((roll\$4back or (roll\$4 adj back) or re\$1store\$2 or re\$1storing) near5 state) ((back or (back\$3 adj ward\$3) or back\$1ward\$3) near2 pointer) ((fork\$3 or branch\$3) near9 state) state.ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/05 17:42
S11	29	((roll\$4back or (roll\$4 adj back) or re\$1store\$2 or re\$1storing) near5 state) ((back or (back\$3 adj ward\$3) or back\$1ward\$3) near2 pointer) ((fork\$3 or branch\$3) same (state same (roll\$4back or (roll\$4 adj back) or re\$1store\$2 or re\$1storing)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/05 17:34
S10	29	((roll\$4back or (roll\$4 adj back) or re\$1store\$2 or re\$1storing) near5 state) ((back or (back\$3 adj ward\$3) or back\$1ward\$3) near2 pointer) ((fork or branch\$3) same (state same (roll\$4back or (roll\$4 adj back) or re\$1store\$2 or re\$1storing)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/05 09:07

S9	29	(state near5 (roll \$4back or (roll\$4 adj back) or re \$1store\$2 or re \$1storing)) ((back or (back\$3 adj ward \$3) or back\$1ward) near2 pointer) ((fork or branch\$3) same (state same (roll \$4back or (roll\$4 adj back) or re \$1store\$2 or re \$1storing)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/05 09:07
S8	32	(state near5 (roll \$4back or (roll\$4 adj back) or re \$1store\$2 or re \$1storing)) ((back or (back\$3 adj ward \$3) or back\$1ward) near2 pointer) ((fork or branch\$3) same (state (roll\$4back or (roll\$4 adj back) or re\$1store\$2 or re \$1storing)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/05 09:05
S7	25	(state near5 (roll \$4back or (roll\$4 adj back) or re \$1store\$2 or re \$1storing)) ((back or (back\$3 adj ward \$3) or back\$1ward) near2 pointer) ((fork or branch\$3) same (state (roll\$4back or (roll\$4 adj back) or re\$1store\$2 or re \$1storing))) @ay<"2005"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/05 08:29
S6	14	(state near3 table) (state near5 (rool \$4back or (roll\$4 adj back) or re \$1store\$2 or re \$1storing)) ((back or (back\$3 adj ward \$3) or back\$1ward) near2 pointer) ((fork or branch\$3) same state) @ay<"2005"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/05 08:27

S5	20	(state near3 table) (state near5 (rool \$4back or (roll\$4 adj back) or re \$1store\$2 or re \$1storing)) ((back or (back\$3 adj ward \$3) or back\$1ward) near2 pointer) ((fork or branch\$3) same state)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/05 08:26
S4	24	(state near3 table) (state near5 (rool \$4back or (roll\$4 adj back) or re \$1store\$2 or re \$1storing)) ((back or (back\$3 adj ward \$3) or back\$1ward) near2 pointer) (fork or branch)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/05 08:26
S3	40	(state near3 table) (state near5 (rool \$4back or (roll\$4 adj back) or re \$1store\$2 or re \$1storing)) ((back or (back\$3 adj ward \$3) or back\$1ward) near2 pointer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/05 08:25
S2	46	(state near3 table) (state near5 (rool \$4back or (roll\$4 adj back) save\$2 or saving)) ((back or (back\$3 adj ward \$3) or back\$1ward) near2 pointer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/05 08:25
S1	780	(state near3 table) (state near5 (rool \$4back or (roll\$4 adj back) save\$2 or saving))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/05 08:24

12/6/2008 9:27:24 AM

C:\Documents and Settings\tdao1\My Documents\EAST\Workspaces\0758 10 650 245 state first  
class citizen.wsp